

TECHNICKÝ SKÚŠOBNÝ ÚSTAV PIEŠŤANY, š.p. Krajinská cesta 2929/9 921 01 Piešťany, Slovak Republic Authorized Body SK03



SK CERTIFICATE

of constancy of performance of the essential characteristics of the construction product

SK03 - ZSV - 0625

In compliance with Act No. 133/2013 Coll. of Laws on construction products and on amendments to certain laws as amended by Act No. 91/2016 Coll. of Laws, this certificate applies to the construction product

Fittings for water pipes

The certificate also applies to products that have an alphabet letter (eg X, XX) behind the base line for different variations

(specification is stated in the annex)

placed on the market under the name of

SLOVARM, a.s., Dolná 1259/2, 907 01 Myjava, Slovak Republic

and produced in the manufacturing plant

SLOVARM, a.s., Dolná 1259/2, 907 01 Myjava, Slovak Republic SLOVARM, a.s., Dolná 1096/15, 907 01 Myjava, Slovak Republic

This certificate attests that all provisions concerning the assessment and verification of constancy by manufacturer declared performance of the essential characteristics of the construction product (hereinafter "assessment of performance") and the performances described in Slovak technical assessment

SK TP - 19/0036 - 01 - 06/05/2019

under system of assessment of performance I+ for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the


constancy of performance of the construction product.

This certificate was first issued on 31.05.2019 and will remain valid until remains in force the SK technical assessment and the construction product, the assessment and verification of constancy of performance methods nor the manufacturing conditions in the plant are modified significantly and unless suspended or withdrawn by the authorized product certification body.

Piešťany	18.09.2023	SKI	SOBNY UST		1 1	
Issue:	2	OF ST	5.9	Pico V		
		(HIH)	SK03		Dušan HANKO	
		- Maria	IESTANY	. op benair	of authorized be	bay



TECHNICKÝ SKÚŠOBNÝ ÚSTAV PIEŠŤANY, š.p. Krajinská cesta 2929/9 921 01 Piešťany, Slovak Republic Authorized Body SK03



Page 1/2

Annex to the certificate of constancy of performance SK03 – ZSV – 0625

Specification of variants:

Name Model **KE 230** Ball valve KE 231 Ball valve KE 240 Ball valve KE 241 Ball valve KE 250 Ball valve KE 251 Ball valve KE 261 Ball valve K-246 Ball valve K-248 Ball valve **TE-66** Ball valve, corner TE 225 Ball valve, KE-280 Ball valve KE-280/R Ball valve KE-281 Ball valve KE-281/R Ball valve **TE-67** Corner valve **TE-69** Corner valve, combined K-83 Shut-off valves, straight K 125 Shut-off valve, straight with drainage K-130 Valves to mason K-181 Main valve, straight K-1039 Reverse valve K-3020 Reverse flap K-508 Inclined filter K-5083 Inclined valve K-5085 Inclined valve with drainage K-5087 Inclined valve with reverse flap K-5088 Inclined valve with reverse flap and with drainage K-5089 Inclined valve with reverse flap With drainage and manometer K-11, K-12 Sliders Drain valve K-270 **KE-270** Drain valve Filter for suction basket K-1039 F K-247, K-249 Wall mount K-263, Extension KE-263 Cr Extension Threaded coupling K-279

Dimension

from DN 10 to DN 25 from DN 10 to DN 100 from DN 10 to DN 32 from DN 10 to DN 50 from DN 10 to DN 25 from DN 10 to DN 50 from DN 15 to DN 50 from DN 25 to DN 32 from DN 25 to DN 32 from DN 10 to DN 20 from DN 15 from DN 15 to DN 32 from DN 10 to DN 15 DN 15× DN 10 from DN 10 to DN 50 from DN 15 to DN 50 DN 15 to DN 20 from DN 20 to DN 40 from DN 15 to DN 50 from DN 15 to DN 40 from DN 15 to DN 80 from DN 15 to DN 40 from DN 15 to DN 40 from DN 15 to DN 25 from DN 15 to DN 25 DN 25 from DN 25 to DN 32 **DN 8 DN 8** from DN 15 to DN 50 DN 15/20 from DN 15×10 to DN 100, DN 20×10 to DN 40 from DN 15×10 to DN 100, DN 20×10 to DN 40



DN 25

Annex to the certificate of constancy of performance SK03 – ZSV – 0625

Page 2/2

V-4300	Threaded joint straight	from DN 10 to DN 50
VE-4300	Threaded joint, straight	from DN 10 to DN 50
	Threaded joint, straight	
V-4301	Threaded joint, corner	from DN 10 to DN 50
VE-4301	Threaded joint, corner	from DN 10 to DN 50
V-4302	Threaded coupling	from DN 10 to DN 32
VE-4302	Threaded coupling	from DN 10 to DN 25
K-501	Socket	from DN 10 to DN 50
KE-501 Cr	Socket	from DN 10 to DN 50
K-502	Reduction	from DN 8/10 to DN 32/40
KE-502 Cr	Reduction	from DN 8/10 to DN 32/40
K-503	Nipple	from DN 10 to DN 50
KE-503 Cr	Nipple	from DN 10 to DN 50
K-504	Elbow	from DN 10 to DN 50
KE-504 Cr	Elbow	from DN 10 to DN 50
K-505	Elbow	from DN 10 to DN 50
KE-505 Cr	Elbow	from DN 10 to DN 50
K-506	T-piece	from DN 10 to DN 50
KE-506 Cr	T-piece	from DN 10 to DN 50
K-507	Plug	from DN 10 to DN 50
KE-507 Cr	Plug	from DN 10 to DN 50
KE-509 Cr	Y-coupling	DN 15
K-510	Plug	from DN 10 to DN 50
KE-510 Cr	Plug	from DN 10 to DN 50
K-287	Coupling	from DN 20 to DN 50
K-272	Plug	DN 8
TE-233/I, II	Extension	DN 15
TE-233 A/I	Extension	DN 15
T-213	connecting adjustage	L-80, 95, 115
TE-2594	Etage connector	DN 15
K-836	Union nut	from DN 10 to DN 32
	Union nut	from G3/8'' to G 2''
P-L-W	Wall mount	
K-130-01	Set for mason	DN 15

